SOW-00-847-3-8B176C-1/1

Date: 9 November 1999

STATEMENT OF WORK (SOW)

For the Rebuild of the Type V Circuit Card Assembly for the AN/SB-3614(V)/TT NSN: 5999-01-206-6013 & 5999-01-138-1758

Date: 9 November 1999

ROY G. SUMNER

Switch Systems Section Equipment Specialist

(Code 847-3)

MCLB, Albany GA

ELAINE FRIERSON

Inventory Manager Switch Systems Section

(Code 847-3)

MCLB, Albany GA

Weapon System/Equipment/Manager Switch Systems Section (Code 847-3)

MCLB, Albany GA

STATEMENT OF WORK FOR THE Rebuild of the TYPE V TERMINAL CCA FOR THE SB-3614(V)/TT NSN: 5999-01-206-6013 & 5999-01-138-1758

- 1.0 SCOPE. This document contains requirements to restore the Type V Terminal CCA for the SB-3614(V)/TT, NSN 5999-01-206-6013, CAGE 80372, Part Number 755090A0916; and NSN 5999-01-138-1758, CAGE 04655, Part Number 06-1356146-1 to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining".
- 1.1 This Statement of Work (SOW) identifies the work effort including repair, testing, and packaging/marking requirements that shall be performed by the contractor to rebuild the Type V Terminal CCA for the SB-3614(V)/TT, NSN 5999-01-206-6013, CAGE 80372, Part Number 755090A0916; and NSN 5999-01-138-1758, CAGE 04655, Part Number 06-1356146-1.
- Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement. As there are two different manufacturers with different part numbers and cage codes for this CCA, the specifications required for repair/rebuild are the same for both, as they are identical.

2.1 <u>Military Standard</u>

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standard (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

DMWR 11-5805-695 Rebuild Standard for the Switchboard, Telephone,

SB-3614(V)/TT

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A NAVICP Instruction: Requisitioning of Contractor

Furnished Material from the Federal Supply System

755090B0315 Acceptance Test Procedure

755090A0916 Engineering Drawing for Type V Terminal CCA

PL 755090A0916-1 Parts List for Type V Terminal CCA

755090A0917-1 Logic Diagram

755090A0350-1 Criteria Specification

2.3 Industry Standard

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

3.1 The contractor shall rebuild the Type V Terminal CCA for the SB-3614(V)/TT in accordance with DMWR 11-5805-695 and Engineering Drawings 755090B0315, 755090A0917-1, 755090A0950-1, 755090A0916 and PL755090A0916-1.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be preserved and packaged in accordance with level "A" requirements of MIL-STD-2073-1C, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items being prepared for domestic shipment or immediate use shall be to level "B" requirements. All items subject to electrostatic sensitivity shall be packed into a reusable fast pack container.
 - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

- 3.3 <u>Configuration Control.</u> The contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/ government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/ statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 822), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.5 Quality Assurances Provisions. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Contractor Furnished Materiel (CFM)</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.7 All work performed on electrical and electronic parts and assemblies during the rebuild shall be performed in accordance with EIA-625 to minimize the negative effects of electrostatic discharge on electronic parts, assemblies, and equipment.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701 0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202 4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for faling to complex in collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY: TOP TM OTHER X							1
		<u> </u>	E CONTRACTION								
D. SYSTEM/ITEM Type V Termin	nal CCA, SB-361	4(V)/ T T	E. CONTRACT/PR	MŲ.	F. CONTRA	IC I UK					!
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						17. PRICE GROU
A001		Dagues	t For Waires			Configuration	n Mone	nom^	mt		
	ition flocument No !	Request For Waiver 5. CONTRACT REFERENCE			Configuration Management 6. REQUIRING OFFICE						18, ESTIMATED
4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80641B		i		SOW 3.3		MCLBA (825)					TOTAL PRICE
7. DO 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENCY		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION					
LT	REDUINED	A	SREQ	SEE BLK	16			b. COPIES			
B. APP CODE	A	11. AS OF DAT	TE .	13. DATE OF SUBSEQUENT SUBMISSION		a. AODRESSEE	ie	Draft Final		nal	
16. REMARKS	A					MCI DA (925	2)		Reg	Repro	
	ctor format is autl	horized				MCLBA (825)-2)	- 0	1	0	
			4l-4-!4l-					\neg			
Blks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.											i I
RFWs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.											
	transmitted via E figmngmnt@mate										
	Distribution Statement A: Approved for public release; distribution is unlimited.							_	-		
						· · · · · · · · · · · · · · · · · · ·					
											:
											:
						15. TOTAL) 0	1	0	!
G. PREPARED BY	[n.	1.	H. DATE	I. APPROVED B	Y 1-12	ie A		J. DATE	1		!
DD FORM 1423-	elow	2	310a 9	EVIOUS EDITION MAY BE		ver	P:	<u>6)</u> age	ee of	99 Pages	!
	., ov (EU)		*'		7		Designed usin			_ •	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMS control number.

Please 00 NOT RETURN your form to the above address. Send completed form to the Source of the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:						:	
				TDPTM	OTHER						
D. SYSTEM/ITEM Type V Termin	nal CCA, SB-361	4(V)/TT	E. CONTRACT/PR	NO.	F. CONTRA	ACTOR					
1. DATA ITEM NO. 2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROUP		
A002	Request For Deviation			1	Configuration Management						
4. AUTHORITY (Date Acquisition Document No.) 5. CONTRACT REFERE			5. CONTRACT REFEREN	NCE 6. REQUIRING OFFICE						18. ESTIMATED TOTAL PRICE	
DI-CMAN-80640B			SOW 3.3			MCLBA		10 TAL PRIGE			
7. DD 250 REQ	PERIUPEN		CA CA	12. DATE OF FIRST SUBMISSION SEE BLK 16		14. DISTRIBUTION			l i		
LT	1	11. AS OF DA			10	<u> </u>	b. COPIES				
8. APP CODE			TE	13. DATE OF SUBSEQUENT Submission		a. ADORESSEE	Draft Final			İ	
A A 16. REMARKS						1467 D 4 (005 0)		Reg			
	atam fammat is aut	المستسمط				MCLBA (825-2)	0	1	0		
	ctor format is aut									:	
Blks 10 & 12 - nonconforming documentation					: : : ;						
RFDs will be receipt by the					:						
RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil										!	
Distribution Statement A: Approved for public release; distribution is unlimited.											
	11		1	,						!	
										!	
						-					
							 				
							1				
						-				i i	
										İ	
							<u> </u>			i I	
										1	
							1				
							1				
										l i	
										[
							 				
							 			 	
							1			•	
				÷			t - t				
							†				
				<u> </u>		15. TOTAL	0	1	0	!	
G. PREPARED BY	^	,	H. DATE	I. APPROVED B	Υ		J. DATE	=		:	
	1:11	· •	3 Dec	امريسي ع	ر/_/	KA M	/	L .	. 01	:	
DD FORM 1423.	1. AUG 96 (FG)	<u>~</u>		REVIOUS FOITION MAY BE	riegh	M	Page	<u>. ۳ ر</u>	77		